



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2012 - June 30, 2013

Filing Confirmation Number: 0005858047

Filing Deadline: July 15, 2013

FRN: 0021937875

Filing Date: 07/15/2013 12:35 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period?

Date that you began offering handsets in the United States 09/12

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Blue Jay Wireless, LLC

Brand Names: Blue Jay Wireless, LLC

PO Box:

Street Address: 5010 Addison Circle

City: Addison

State: TX

Zip Code: 75001

Contact Name: David Wareikis

Contact Phone: (972) 788-8861

Contact Fax: (972) 387-4830

Contact Email: david@bluejaywireless.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007 include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operations?

N/A

Explain:

Do all hearing aid-compatible handsets that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

N/A

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.bluejaywireless.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Blue Jay provides information about HAC in its welcome letter package to new customers

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 8

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 8

Air Interface	Fully Hearing Aid Compatible Number Percent	Acoustic Coupling Compatible Only Number Percent	Non-Compliant Handsets Number Percent	Excluded Handsets Number	Total by Air Interface
---------------	--	---	--	-----------------------------	------------------------

CDMA	8	100%			8
------	---	------	--	--	---

Handset 1: HTC Hero

Handset Maker

HTC

Handset Model Name

Hero

FCC ID

NM8HERO200

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 06/23/09

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 06/23/09

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 2: Motorola RAZR V3M**Handset Maker**

Motorola

Handset Model Name

RAZR V3M

FCC ID

IHDT56FT1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 07/18/06

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 07/18/06

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 3: Palm Treo Pro

Handset Maker

Palm

Handset Model Name

Treo Pro

FCC ID

O8F-SKYC

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 10/01/08

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T3

T-Rating Certification Date: 10/01/08

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 4: Research In Motion 8130

Handset Maker

Research In Motion

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 06/13

Ratings

M-Rating: M3

M-Rating Certification Date: 10/25/07

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T3

T-Rating Certification Date: 10/25/07

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 5: Research In Motion 8330**Handset Maker**

Research In Motion

Handset Model Name**FCC ID**

8330

L6ARBU20CW

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/01/08

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T4

T-Rating Certification Date: 04/01/08

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 6: Research In Motion 8830

Handset Maker

Research In Motion

Handset Model Name

8830

FCC ID

L6ARBK40CG

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 12/22/08

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 12/22/08

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 7: Samsung Intercept SPH-M910

Handset Maker

Samsung

Handset Model Name

FCC ID

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 04/06/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 04/06/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 8: Sanyo Zio**Handset Maker**

Sanyo

Handset Model Name**FCC ID**

Zio

V65M6000

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 09/12 to 06/13

Ratings

M-Rating: M4

M-Rating Certification Date: 02/17/10

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 02/17/10

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Certification

This Report has been certified by:

David Wareikis CEO
07/15/2013 12:35 PM